



Community Infection Prevention and Control Policy for Care Home settings

Safe management of linen, including uniforms and workwear

Version 1.00 August 2023

Please note that the internet version is the only version that is maintained. Any printed copies should, therefore, be viewed as 'uncontrolled' and as such, may not necessarily contain the latest updates and amendments.

This Policy has been adopted by:

Organisation: Westmorland and Furness Council

Signed:

Name: Nikkie Phipps

Job Title: Assistant Director

Date Adopted: 1st August, 2023 Review Date: 31st July, 2025

For further information and advice regarding infection prevention and control please contact:

Nicola Holland
Public Health Manager
Health Protection
Westmorland & Furness Council
South Lakeland House

Kendal LA9 4DQ

Tel: 07881 264861

Email:

nicola.holland@westmorlandandfurness.

gov.uk

Infection Prevention Team Westmorland & Furness Council South Lakeland House Kendal LA9 4DQ

Email:

ipc@westmorlandandfurness.gov.uk

Your local UK Health Security Agency Team:

Cumbria & Lancashire HPT Tel: 0344 225 0562

Email:

clhpt@ukhsa.gov.uk

Community Infection Prevention and Control Harrogate and District NHS Foundation Trust Gibraltar House, Thurston Road Northallerton, North Yorkshire. DL6 2NA

Tel: 01423 557340

email: <u>infectionprevention.control@nhs.net</u> <u>www.infectionpreventioncontrol.co.uk</u>

Legal disclaimer

This Policy produced by Harrogate and District NHS Foundation Trust is provided 'as is', without any representation endorsement made and without warranty of any kind whether express or implied, including but not limited to the implied warranties of satisfactory quality, fitness for a particular purpose, non-infringement, compatibility, security and accuracy.

These terms and conditions shall be governed by and construed in accordance with the laws of England and Wales. Any dispute arising under these terms and conditions shall be subject to the exclusive jurisdiction of the courts of England and Wales.

Contents **Page**

1.	Introduc	tion	4	
2.	Definitio	n of linen	4	
3.	Linen cl	assifications	5	
4.	Handling	g of used and infected linen	6	
5.	Launder	ring resident's own clothing	7	
6.	Uniform	s and workwear	7	
7.	Clean lir	nen	7	
8.	Frequency of laundering			
9.	Laundry temperatures			
10.	Requirements for laundry facilities9			
11.	Infection Prevention and Control resources, education and training 10			
12.	References			
13.	Append	ices1	11	
Appe	endix 1:	Safe management of linen, including uniforms and		
		workwear: Quick reference guide	12	

SAFE MANAGEMENT OF LINEN, INCLUDING UNIFORMS AND WORKWEAR

1. Introduction

This Policy is one of the 'Standard infection control precautions' (SICPs) referred to by NHS England in the *National infection prevention and control manual (NIPCM) for England*.

The Health Technical Memorandum 01-04: Decontamination of linen for health and social care - Social care recommends that healthcare organisations comply with guidance establishing 'Essential Quality Requirements' and demonstrate that a plan is in place for progression to 'best practice'.

An adequate laundry service must be available in order to provide care that is safe for staff and residents. Linen used in care homes can become soiled with blood, faeces and other body fluids containing microorganisms, such as bacteria and viruses. Therefore, when handling used, soiled, fouled and infected linen, it is essential that care is taken to prevent the spread of infection.

All linen used should be washed appropriately ensuring the correct temperature is achieved to destroy microorganisms. Failure to achieve this has resulted in outbreaks of infection, notably with spore forming bacteria such as *Bacillus cereus*. Microorganisms that remain after washing are usually destroyed by tumble drying and ironing.

Always use SICPs and, where required, 'Transmission based precautions' (TBPs), refer to the 'SICPs and TBPs Policy for Care Home Settings'.

For COVID-19 or any other new emerging infections, staff should refer to national infection prevention and control guidance.

2. Definition of linen

For the purposes of this document, 'linen' means all reusable textile items requiring cleaning/disinfection via laundry processing including:

- Bed linen: blankets, counterpanes, duvets, duvet covers, pillowcases and sheets
- Bibs
- Canvases
- Curtains

- Hoist slings
- Linen throws
- Resident clothing, including gowns, nightdresses and shirts, pyjama tops and bottoms
- Slide sheets
- Staff clothing (coats, scrub suits, tabards, uniforms)
- Towels

Note: Kylie (reusable) continence sheets should not be used. Disposable bed pads/incontinence sheets must never be used for management of incontinence as they are a risk to skin integrity. Based on individualised assessment, body worn continence pads, of the lowest necessary absorbency, should be used as an adjunct to regular toileting.

3. Linen classifications

It is the responsibility of the person handling linen to ensure that it is segregated appropriately.

STANDARD PROCESS (Colour code white or off white)

Used (previously known as soiled and fouled) linen and clothing

This definition applies to all used linen and clothing. It does **not** apply to:

- Linen from residents with a confirmed or suspected infection, e.g. varicella zoster (shingles)
- · Linen from residents with diarrhoea
- Linen contaminated with blood or body fluids

Used linen items should be placed into a water-soluble bag, and additionally within a white cotton sack if required, or alternatively placed directly in a white waterproof bag. Heavily soiled items should have any solids removed prior to being placed into the bag. In larger premises, residents clothing may sometimes be bagged separately to bed linen.

ENHANCED PROCESS (Colour code red)

Infected linen and clothing

This definition applies to:

- Linen from residents with a confirmed or suspected infection, e.g. varicella zoster (shingles)
- Linen from residents with diarrhoea
- Linen contaminated with blood or body fluids

Infected linen and clothing should be placed immediately into a red water-soluble

(alginate) bag for infected linen. Heavily soiled items should have any solids removed prior to being placed into the bag. The alginate bag should then be placed in a white waterproof or fabric/nylon/polyester bag. Additionally, the outer bag must be labelled as 'infectious linen'. If a fabric bag is used, it should be laundered after each use. If a lidded solid plastic laundry bin designated for transportation of the red water-soluble bag to the laundry is used, it should be cleaned and disinfected inside and out after removing the red bag.

4. Handling of used and infected linen

All dirty linen should be handled with care and attention paid to the potential spread of infection. Residents and staff must not be put at risk during the handling, disposal and transportation of dirty linen.

- Staff should ensure cuts and grazes are covered with a waterproof plaster when handling all linen.
- Disposable apron should be worn when handling used, soiled or infected linen. Gloves should be worn if there is a risk of exposure to blood and/or body fluid or the resident has a confirmed or suspected infection. Facial protection should be worn if there is a risk of splashing.
- Linen should be removed from a resident's bed with care and placed in the appropriate bag, not placed on the floor.
- Care should be taken to prevent unnecessary shaking of linen as this will increase the number of bacteria in the air. The exposure of susceptible wounds should be avoided within 30 minutes of bed making.
- Linen must be segregated correctly (see section 3 above) and placed in the correct bag before transport to the laundry area.
- Laundry bags should be sealed/tied securely and be no more than 2/3 full before transportation to the laundry.
- Laundry staff should not open water-soluble bags, the bag should be placed directly in the washing machine.
- After handling used or infected linen and removing gloves, hands must be washed thoroughly.
- Where possible, a laundry skip should be used for the segregation of linen and transportation to the laundry area.
- If fabric laundry bags are used rather than waterproof bags, they should be laundered with the contents of the bag.
- If waterproof bags are used, they should be disposed of as offensive waste if no confirmed or suspected infection, or infectious waste if a confirmed or suspected infection.
- Duvets should be washed whenever visibly soiled, at least every three months and between use on different residents.

- Duvets with a PVC cover should be cleaned whenever visibly soiled, at least every three months and between residents, with general purpose neutral detergent and warm water or machine washed as per manufacturer's instructions.
- Remove and dispose of personal protective equipment (PPE), and clean hands after removal.

5. Laundering resident's own clothing

- Heavily soiled items should have a pre-wash/sluice cycle selected.
- Resident's own clothes should be laundered on the highest temperature possible for the item or as recommended by the manufacturer.

6. Uniforms and workwear

- Uniforms and workwear worn by staff when carrying out their duties should be clean and fit for purpose.
- Uniforms and workwear should specifically support good hand hygiene.
- Always change in and out of uniform at work, or completely cover uniform when travelling to and from work.
- Wear a clean uniform at the start of each shift and have enough uniforms to facilitate this.
- Always use PPE to prevent contamination of uniforms.
- Change uniforms and workwear immediately if visibly soiled or contaminated.
- Soiled uniforms and workwear should be taken home in a plastic bag and laundered separately from other clothing on a hot wash cycle, ideally at 60°C or at the highest temperature that the fabric will tolerate,.
- Garments should be dried thoroughly. Tumble drying or ironing will further reduce the small number of microorganisms present after washing.
- Use a clean plastic bag to transport laundered uniforms to work.
- Footwear must be well maintained, visibly clean, non-slip and support and cover the entire foot to avoid contamination with blood or body fluids or potential injury from sharps.

7. Clean linen

- Hands must be clean when handling clean linen.
- Linen should be fit for purpose, look clean and should not be damaged or

discoloured.

- Clean linen and clothing should not be stored in the laundry room.
- Clean linen should be stored in a clean designated room/cupboard not used for other activities. The room/cupboard should be equipped with wipeable shelving that can be easily cleaned and allow free movement of air around the stored linen.
- If clean linen is not stored in a designated cupboard, then the trolley used for storage must be designated for this purpose and completely covered with an impervious covering and/or door that is able to withstand decontamination.
- Linen should be stored above floor level, away from direct sunlight and water, in a dry cool environment.
- The linen room/cupboard should have doors that are kept closed to prevent contamination of the linen.
- Clean linen must be monitored to ensure it is in a good state of repair.
- A disposable apron should be worn when making a bed.
- Gloves are not required to be worn when making a bed with clean linen.

8. Frequency of laundering

- Linen and resident's clothing should be laundered whenever visibly soiled, or at least weekly.
- Reusable hoist slings should be laundered regularly (frequency will depend on use and the resident) and whenever visibly soiled. Hoist slings should be single resident use, e.g. labelled for use by a named resident and should not be used by any other person.
- Residents' face cloths, body scrunchies and towels, should be laundered after each use.
- A documented specification should be in place for routine changing/cleaning of curtains and blinds. The frequency is determined by assessing each functional area containing window blinds and/or curtains, assessing and assigning the area to one of the six functional risk (F1-6) categories. In addition, any blinds or curtains that are visibly soiled should be changed/cleaned immediately. Refer to the *National Standards of Healthcare Cleanliness 2021* for further information.

9. Laundry temperatures

Standard process

The items should be washed at the highest temperature recommended by the manufacturer.

Enhanced process

Washing processes should have a thermal disinfection cycle in which the temperature in the load is maintained at either:

- 65°C for not less than 10 minutes; or
- 71°C for not less than 3 minutes

The items should be washed at the highest temperature recommended by the manufacturer.

With both options, 'mixing time' must be added to ensure heat penetration and effective disinfection.

For machines of conventional domestic design and a low degree of loading, e.g. below 0.056 kg/litre, 4 minutes should be added to these times to allow for mixing time. A sluice cycle should be available on machines used in smaller provider units for dealing with foul/infected linen.

10. Requirements for laundry facilities

A designated separate room should be used for laundering of linen and the room should not be used for any other purpose. Industrial washing machines and tumble dryers rather than household ones should be used in care home premises, to ensure correct thermal disinfection of linen and provide evidence of temperature compliance.

- The room should have a dirty to clean work flow system, so that clean and used/infected linen are physically separated throughout the process.
- Washing machines should be of an industrial type and have a sluice cycle and hot wash cycles (see Section 9 for correct temperature requirement).
 They should be professionally installed and maintained.
- An industrial regularly maintained dryer should be used to dry all clothing and linen.
- Appropriate PPE, including eye protection, should be available for staff.
- The room should have a handwash basin with elbow operated mixer taps, no plug or overflow, wall mounted liquid soap dispenser with disposable cartridges and paper towels in a dispenser.
- Separate lined and foot pedal operated lidded waste bins, colour coded for domestic, offensive or infectious waste, should be available for the disposal of waste, including waterproof waste bags.
- Heavily soiled items should have a pre-wash/sluice cycle selected.

Under no circumstances should a manual sluice facility or sluicing sink be used or situated in the laundry room.

11. Infection Prevention and Control resources, education and training

See Appendix 1 for the 'Safe management of linen, uniforms and workwear: Quick reference guide'.

The Community Infection Prevention and Control (IPC) Team have produced a wide range of innovative educational and IPC resources designed to assist your Care Home in achieving compliance with the *Health and Social Care Act 2008:* code of practice on the prevention and control of infections and related resources and CQC registration requirements.

These resources are either free to download from the website or available at a minimal cost covering administration and printing:

- 30 IPC Policy documents for Care Home settings
- Preventing Infection Workbook: Guidance for Care Homes
- IPC CQC inspection preparation Pack for Care Homes
- IPC audit tools, posters, leaflets and factsheets
- IPC Bulletin for Care Homes

In addition, we hold IPC educational training events in North Yorkshire.

Further information on these high quality evidence-based resources is available at www.infectionpreventioncontrol.co.uk.

12. References

Department of Health and Social Care (Updated December 2022) Health and Social Care Act 2008: code of practice on the prevention and control of infections and related guidance

Department of Health (2016) Health Technical Memorandum 01-04: Decontamination of linen for health and social care – Social care

Department of Health and Health Protection Agency (2013) *Prevention and control of infection in care homes – an information resource*

NHS England (2022, updated April 2023) National infection prevention and control manual (NIPCM) for England

NHS England (2022) National Standards of Healthcare Cleanliness: healthcare cleaning manual

NHS England and NHS Improvement (2021) National Standards of Healthcare Cleanliness 2021

NHS England and NHS Improvement (April 2020) Uniforms and workwear:

13. Appendices

Appendix 1: Safe management of linen, including uniforms and workwear





Safe management of linen, including uniforms and workwear: Quick reference guide



Risk management

Used linen can become soiled with blood and body fluids containing microorganisms, therefore, always handle with care.

Process	rocess Indication		Instructions		
Standard	Used (soiled and fouled) linen and clothing (no confirmed of suspected infection)		White or off white Water-soluble bag with outer white cotton sack; or White waterproof bag Remove any solid contamination before placing in bag		
Enhanced	Infected linen and clothing (resident with confirmed or suspected infection)	•	Red Water-soluble bag with outer white bag labelled 'infectious linen'		

Safe handling of used linen and clothing

- Cover cuts and abrasions.
- Use PPE.
- Avoid shaking linen and place directly in appropriate bag.
- Seal/tie securely when no more than 2/3 full.
- Store used and clean linen in separate designated areas.
- Place water-soluble bag directly into washing machine.
- Launder outer fabric bags.
- Dispose of waterproof bags in appropriate waste stream.
- Wash hands thoroughly after removing PPE.

For further information, please refer to the full Policy which can be found at

www.infectionpreventioncontrol.co.uk/care-homes/ policies/

Staff uniforms and workwear

- Wear a clean uniform at start of each shift, and change immediately if visibly soiled.
- Use PPE to prevent contamination.
- Take home used uniforms in a plastic bag and launder separately from other clothing at the highest temperature the fabric will tolerate.
- Use a clean plastic bag to transport laundered uniforms to work.

Community Infection Prevention and Control Harrogate and District NHS Foundation Trust www.infectionpreventioncontrol.co.uk April 2023 © Harrogate and District NHS Foundation Trust